



Certificate of Analysis

Ipamorelin · 5 mg / vial · Lot **IPA153**

REPORT TO	IGF1 Shop · igf1shop.com
COMPOUND	Ipamorelin
CAS NUMBER	170851-70-4
SAMPLE RECEIVED	2026-04-01
DATE RELEASED	2026-04-06


LABORATORY ID	V266139-1 060
LOT NUMBER	IPA153
MOLECULAR WEIGHT	711.85 Da
ANALYSIS CONDUCTED	2026-04-03
PHYSICAL APPEARANCE	Reconstituted clear liquid

1. IDENTITY & PURITY

SPECIFICATION	METHOD	RESULT	STATUS
Identity confirmation	RP-HPLC + ESI-MS comparison to reference	Conforms	PASS
Chromatographic purity	HPLC-UV/VIS, C18 RP, 220 nm	99.63% ± 0.28%	PASS
Quantitative assay	HPLC-UV/VIS	5.330 mg (target 5 mg)	PASS
Mass confirmation (ESI-MS)	Electrospray ionization mass spectrometry	Within ±1 Da of theoretical	PASS

2. HPLC CHROMATOGRAM

DAD1 A, Sig=220, 4 Ref=off · Column: ZORBAX Eclipse Plus C18, 4.6×150 mm, 3.5 µm · Flow: 1.0 mL/min · Injection: 10 µL · Temp: 30 °C



Reference standard: USP/EP-grade · Run ID V266139-1 060

Integration software: Agilent OpenLAB CDS 2.7

3. MICROBIOLOGICAL & SAFETY ASSAYS

SPECIFICATION	METHOD	RESULT	STATUS
Bacterial endotoxins	LAL kinetic chromogenic	< 0.220 EU/mg	PASS
Sterility	USP <71> · BacT/ALERT	No growth detected	PASS
Water content	Karl Fischer titration	0.60%	PASS
Acetate content	Ion chromatography	2.75%	PASS

4. HEAVY METALS (ICP-MS)

ANALYTE	METHOD	LOQ (PPM)	RESULT (PPM)	STATUS
Arsenic (As)	ICP-MS	0.01	ND	PASS
Cadmium (Cd)	ICP-MS	0.01	ND	PASS
Lead (Pb)	ICP-MS	0.01	ND	PASS
Mercury (Hg)	ICP-MS	0.005	ND	PASS

ND: Non-Detect (below LOQ). LOQ: Limit of Quantification.

5. STORAGE & STABILITY

Recommended storage	+2 °C to +8 °C, protected from light
Stability under recommended conditions	24 months from release date
Retest date	2027-04-06
Container closure	10 mL clear borosilicate vial · butyl rubber stopper · aluminum flip-off seal

REPORT BY

Dustin Newman

Dustin Newman

Laboratory Director

Date: 2026-04-03

APPROVED & RELEASED BY

Tori Johnson

Tori Johnson

Operations Manager

Date: 2026-04-06



ISO/IEC 17025:2017 Accredited Testing Laboratory

Accredited by the American Association for Laboratory Accreditation (A2LA) for analytical chemistry, biopharmaceutical assays, and microbiological testing.

A2LA Cert. #6377.01.01

Scope: pharmaceutical & biological analysis
vanguardlaboratory.com

Reference: A2LA Certificate #6377.01.01. Sample received in good condition. Results apply only to the items tested. Vanguard Laboratory, LLC did not participate in sampling. The compound described is intended for laboratory research use only — not for human or animal consumption, drug, food, agricultural, or cosmetic application.

